



Special New Offer

Period of validity 5/2019 - 9/2019

GÖLZ HS400

Powerfull electric Hand Saw 230 Volt, 3,3 kW with quick mounting system to change from Cut Off Saw to Ring Saw

- Hand Saw, 230 V, 50 Hz, 3,3 kW with tool-change-head
- Adapter Cut Off Saw
Blade-Ø 400 mm (16")
Cutting depth: 165 mm (6,5")
- Adapter Ring Saw
Ring-Ø 400 mm (16")
Cutting depth: 300 mm (12")

Your benefit:

One main drive unit HS400E - two applications 230 V electrical connection - applicable everywhere



Coming soon!
The Technical Revolution!



DR20/50/80

- Diamond cutting ring for ring saw Ø350

| Typ | Color | Description | Order number | Price € |
|------|--------|-------------------------------|---------------|---------|
| DR20 | Yellow | Concrete, reinforced concrete | 0396 890 0020 | 220,00 |
| DR50 | Blue | Concrete, reinforced concrete | 0396 890 0050 | 220,00 |
| DR80 | Red | Masonry, Porous | 0396 890 0080 | 220,00 |



TP35 Concrete - Laser-welded

- Turbo pre-cut blade for hand-held power cutters (pre-cut for ring-saw)
- Concrete, reinforced concrete

| Ø (mm) | Bore (mm) | Segments (mm) | | | Qty | Order number | Price € |
|--------|-----------|---------------|-----|------|-----|---------------|---------|
| | | L | W | H | | | |
| 400 | 20,0/25,4 | 20,0 | 4,5 | 10,0 | 46 | 0497 808 0400 | 198,00 |

Special New Offer

GÖLZ SM250

Lightweight - Compact - Easy to use
SM250 Grinding machine in 230 V.
Made for small jobs in surface preparation.

2.470,00 €
included grinding plate CG250-M

Quick and cost effective on small spaces up to 200 sqm

- Ø 250 mm single disc grinder
- Dry and wet grinding
- 230 Volt; 2.200 Watt Motor
- Foldable for transport

| Specifications | GÖLZ SM250 |
|-------------------|-----------------|
| Grinding diameter | 250 mm |
| Motor | 230 V, 50/60 Hz |
| Power | 2.200 Watt |
| RPM | 1.440 rpm |
| Number of Tools | 1 x Ø 250 mm |
| Weight | 60 kg |
| Order number | 0284 250 1000 |

Grinding Tools



CG250-S

Hard Floor

298,00 €



CG250-M

Medium

258,00 €



CG250-PD

Coatings

438,00 €



Dry Vac
Vibra125
930,00 €



GÖLZ BS600

Compact block saw with 230V electric motor
included diamond blade 600 mm blade.
Cutting depth 235 mm.

2.690,00 €

- Cutting head with elastic device, easy for operation
- Electric water pump with quick coupling, easy for changing the pump
- Max. cutting length up to 600 mm
- Max. cutting depth up to 235 mm
- Removable water tub, easy for cleaning
- Foldable legs
- Removable blade guard for easy blade change
- Special water nozzle for optimized water cooling
- Transportation wheel, easy for moving

GÖLZ FS170 KOHLER

Robust and solid push saw with hot galvanized chassis for operation in the construction business.

2.980,00 €

included 1x 500 mm blade for cutting concrete&asphalt



- 14HP KOHLER Motor
- With ergonomical comfort to the operator by Anti-Vibration-System and height adjustable handels.
- Gasoline
- 500 mm blade
- 190 mm cutting depth



Ø350

€109,-

Ø400

€135,-

Ø450

€159,-

Ø500

€199,-

GÖLZ LCA 65

Diamond blade for floor sawing machines and power cutters.

- Allround blade with special toothing - mixed segments for concrete and asphalt.

DTS40 Universal - Sintered

- Fast cutting diamond blade
- Turbsegment with cooling slots
- Concrete, bricks, hard clinkers, stone

Ø125

€19,-

Ø230

€29,-



GX-U12 X-Series - sintered

- 12 mm Segment hight
- Diamond blade with precise diamond arrangement
- Concrete, exposed aggregate concrete, bricks, clinker, general purpose

Ø125

€29,-

Ø230

€49,-



Special New Offer

GBM 25 Drill Motor



| Specifications | GBM25 |
|----------------------|---------------------------|
| Voltage | 230 V, 50-60 Hz |
| Power (Input/Output) | 2,5 kW (1,75 kW) |
| RPM | 360/850 min ⁻¹ |
| Drilling Diameter | Ø 52-250 mm (10") |
| Drill bit connection | 1¼" UNC |
| Safety | PRCD |
| Weight | 11,2 kg (24 lbs) |
| Order number | 0295 007 5480 |
| Price | 1.480,00 |

| Specifications | GÖLZ DS300S |
|---|------------------------|
| Max. Diameter | Ø 300 mm |
| Column | Aluminium |
| Travel length | 650 mm |
| Angle drilling device | up to 45° |
| Bases | anchor-/vacuum base |
| Carriage | Sliding guide carriage |
| Dimensions (LxWxH) | 400x290x1050 |
| Weight | 17,8 kg |
| Motor connection | Motormount |
|  | ✓ |
| Order number | 0295 250 9010 |
| Price | 1.180,00 |



DS300S Core Drill Stand



Fastening Kit
77,00 €

Drill bit RML40 - laser-welded For concrete, reinforced concrete and brickwork



| Ø (mm) | # | Segment LxBxH (mm) | Length (mm) | Order-number | Price € |
|--------|----|--------------------|-------------|---------------|---------|
| 42 | 5 | 16 x 3,0 x 10 | 450 | D640 450 4042 | 79,00 |
| 52 | 5 | 24 x 3,5 x 10 | 450 | D640 450 4052 | 89,00 |
| 62 | 6 | 24 x 3,5 x 10 | 450 | D640 450 4062 | 98,00 |
| 66 | 6 | 24 x 3,5 x 10 | 450 | D640 450 4066 | 105,00 |
| 72 | 7 | 24 x 3,5 x 10 | 450 | D640 450 4072 | 108,00 |
| 82 | 8 | 24 x 3,5 x 10 | 450 | D640 450 4082 | 119,00 |
| 92 | 8 | 24 x 3,5 x 10 | 450 | D640 450 4092 | 134,00 |
| 102 | 9 | 24 x 3,5 x 10 | 450 | D640 450 4102 | 144,00 |
| 108 | 10 | 24 x 3,5 x 10 | 450 | D640 450 4108 | 152,00 |
| 112 | 10 | 24 x 3,5 x 10 | 450 | D640 450 4112 | 154,00 |
| 122 | 11 | 24 x 3,5 x 10 | 450 | D640 450 4122 | 167,00 |
| 127 | 11 | 24 x 4,0 x 10 | 450 | D640 450 4127 | 170,00 |
| 132 | 12 | 24 x 4,0 x 10 | 450 | D640 450 4132 | 182,00 |
| 152 | 12 | 24 x 4,0 x 10 | 450 | D640 450 4152 | 214,00 |
| 162 | 13 | 24 x 4,0 x 10 | 450 | D640 450 4162 | 229,00 |
| 202 | 14 | 24 x 4,5 x 10 | 450 | D640 450 4202 | 290,00 |

* You get the smallest drill bit in your ordered package on top.

All prices are in EURO, and do not include VAT. All transactions are subject to our general terms and conditions. © Copyright 2019 by Gölz GmbH Hellenthal.

Elmag Hellas P.C.

Formionos 265 | 16233 Vironas Attiki | GR-Greece

T: +30 2107641935 | info@elmag.gr | www.elmag.gr